

QCS-001 PROCESS SOURCE QUALITY REQUIREMENTS

Notice: A hard copy of this document may not be the document currently in effect. The current version is always the version on the Lockheed Martin network at:

<http://www.lockheedmartin.com/us/aeronautics/materialmanagement.html>

MAJOR REWRITE

The terms "Item(s)", (including "item(s)" with lower case "i"), "PO", "Process Source" and "Buyer" as used herein, have the same meaning as terms "Work", "Contract", "QCS-001 Process Source" and LOCKHEED MARTIN, respectively.

SCOPE

This document contains the minimum quality requirements for QCS-001 Process Sources. It is emphasized that as rMq12(r)-4ty. Msyf)tem.1(al)5.(m)-3.7(e)2(sp)11.1mRn4.8()6.4()-3.8(")9(s)

2. Ensure calibrations are traceable to internationally or nationally recognized standards, and
3. Document the basis used for calibration where no such standards exist, and
4. Identify equipment requiring calibration with suitable indicators / decals. If decal cannot be placed on equipment, the process source

4. Government/Industry Data Exchange Program ("GIDEP") Alert is required or received affecting Buyer Items, or

2. a statement with the words, "Processing to be accomplished in performance of this purchase order is directly related to a Lockheed Martin Aeronautics Company purchase order and must be accomplished in accordance with process specification(s) on this purchase order and Lockheed Martin Aeronautics Company Appendix QJ"
3. a statement that sub-tier Process Source must file and maintain a copy of all purchase orders containing the above statement and

